|   | Туре | L# | Hits   | Search Text  | DBs  | Time Stamp          | Comments |
|---|------|----|--------|--|--|---------------------|----------|
| 1 | BRS  | L1 | 174    | turning and drilling and teeth and<br>milling and insert | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:20 |          |
| 2 | BRS  | L2 | 48     | 1 and lathe  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:20 |          |
| 3 | BRS  | L3 | 0      | 2 and (helical WITH inserts)                             | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:21 |          |
| 4 | BRS  | L4 | 2625   | (helical WITH inserts)                                   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:21 |          |
| 5 | BRS  | L5 | 23     | 4 and drilling and boring                                | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:30 |          |
| 6 | BRS  | L6 | 425893 | actuator or active adj element                           | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:30 |          |
| 7 | BRS  | L7 | 46     | 6 and helically SAME holder                              | USPAT;<br>US-PGP<br>UB;<br>EP;<br>JP;<br>DERWE<br>NT;<br>IBM_TD<br>B   |                     |          |

|    | Туре | L#  | Hits | Search T xt                          | DBs  | Time Stamp          | C mments |
|----|------|-----|------|--------------------------------------|--|---------------------|----------|
| 8  | BRS  | L9  | 1    | 8 and milling                        | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:32 |          |
| 9  | BRS  | L8  | 46   | 6 and (helically SAME holder)        | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:34 |          |
| 10 | BRS  | L10 | 2    | 6 and torsinal adj vibration         | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:35 |          |
| 11 | BRS  | L11 | 0    | 6 and (torsinal near3 actuation)     | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:36 |          |
| 12 | BRS  | L12 | 0    | 6 and (torsinally near10 actuation)  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:36 |          |
| 13 | BRS  | L13 | o ·  | 6 and (torsinally near10 activation) | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:36 |          |
| 14 | BRS  | L14 | 9804 | 6 and (torsinally or torsion)        | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>09:37 |          |

:

|    | Туре | L#  | Hits | Search Text   | DBs  | Tim Stamp           | C mm | nts |
|----|------|-----|------|---|--|---------------------|------|-----|
| 15 | BRS  | L15 | o    | 14 and (starin adj actuator)<br>,   | USPAT;<br>US-PGP<br>UB;<br>EP;<br>JP;<br>DERWE<br>NT;<br>IBM_TD<br>B   | 2003/10/09<br>09:37 |      | Ì   |
| 16 | BRS  | L16 | 11   | 14 and (strain adj actuator)  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>10:05 |      |     |
| 17 | BRS  | L17 | 1284 | 14 and (helical or helically)   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>10:05 |      |     |
| 18 | BRS  | L18 | 332  | 14 and ((helical or helically) SAME<br>( actuator or active adj element)) | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 1                   |      |     |
| 19 | BRS  | L19 | 332  | 18 and torsion  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_TD<br>B | 2003/10/09<br>10:06 |      |     |

• •

: